

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 7/4/2019 Revision date: 12/10/2020 Supersedes version of: 7/4/2019 Version: 1.2

SECTION 1: Identification of the substand	e/mixture and of the company	/undertakin	a		
1.1. Product identifier					
Product form :	Mixture				
Product name :	: DURAMINE BLUE R 200%				
roduct group : Finished Product					
1.2. Relevant identified uses of the substance or mixture and uses advised against					
1.2.1. Relevant identified uses	•				
	Industrial				
	For professional use only				
1.2.2. Uses advised against					
No additional information available					
1.3. Details of the supplier of the safety data s	heet				
Town End (Leeds) plc Silver Court					
Intercity Way, Stanningley					
LS13 4LY Leeds - United Kingdom					
T +44 (0)113 256 4251 - F +44 (0)113 239 3315					
msds@dyes.co.uk - www.dyes.co.uk					
1.4. Emergency telephone number Emergency number : +44	4 (0)113 256 4251				
	(0):10 200 7201				
SECTION 2: Hozardo identification					
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture					
Classification according to Regulation (EC) No. 127					
Hazardous to the aquatic environment — Chronic Haza	rd, Category 3 H412				
Full text of H- and EUH-statements: see section 16					
Adverse physicochemical, human health and environ No additional information available 2.2. Label elements	onmental effects				
Labelling a second and a Denulation (EQ) No. 4070(00)					
Labelling according to Regulation (EC) No. 1272/200					
5	-	lasting offecto			
	H412 - Harmful to aquatic life with long	0			
Precautionary statements (CLP) :	 P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 				
2.3. Other hazards					
No additional information available					
SECTION 3: Composition/information on	ingredients				
3.1. Substances					
Not applicable					
3.2. Mixtures					
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]		
sodium 1-amino-4-(cyclohexylamino)-9,10-dihydro- 9,10-dioxoanthracene-2-sulphonate	(CAS-No.) 4368-56-3 (EC-No.) 224-460-9	≥ 70 – ≤ 90	Aquatic Chronic 3, H412		
White mineral oil (petroleum)	(CAS-No.) 8042-47-5 (EC-No.) 232-455-8 (REACH-no) 01-2119487078-27	1	Asp. Tox. 1, H304		

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
First-aid measures after ingestion	: Do NOT induce vomiting. If you feel unwell, seek medical advice.
4.2. Most important symptoms and effects, I	both acute and delayed
Symptoms/effects	: May stain skin and eyes.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause irritation to skin.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.
Chronic symptoms	: None known.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing agent suitable for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
5.2. Special hazards arising from the substa	nce or mixture
Fire hazard	: In case of fire and/or explosion do not breathe fumes. Decomposition products may be a hazard to health.
Explosion hazard	: Dust could form explosive mixtures with air.
Reactivity in case of fire	: None known.
Hazardous decomposition products in case of fire	: Hazardous vapours may be released.
5.3. Advice for firefighters	
Precautionary measures fire	: Evacuate area. Eliminate all ignition sources if safe to do so.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Avoid dust formation.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Ensure adequate ventilation. Eliminate every possible source of ignition. Evacuate area.			
6.1.1. For non-emergency personnel				
Protective equipment	: Concerning personal protective equipment to use, see section 8.			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				
Notify authorities if product enters sewers or public w	vaters. Do not allow product to spread into the environment.			
6.3. Methods and material for containment a	and cleaning up			
For containment	: Collect spillage.			
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal.			
Other information	: Notify authorities if product enters sewers or public waters. Dispose of contaminated materials in accordance with current regulations.			
6.4. Reference to other sections				

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection.
Precautions for safe handling	: Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.
Hygiene measures	: Always wash hands after handling the product. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Protect from moisture. Keep container tightly closed in a cool, well-ventilated place.
Incompatible products	: Strong acids. Strong bases.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection	
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls:	

Avoid all unnecessary exposure.

Refer to manufacturer's	information						
Туре	Material		Permeation	Thickness (mm)	Penetrati	on	Standard
Chemical resistant gloves (according to European standard EN 374 or equivalent)	Nitrile rubber (Butyl rubber, L Polyvinylchlori (PVC)	_atex,	6 (> 480 minutes)		Gloves must be replaced after each use and whenever signs of wear or perforation appear		EN ISO 374
Eye protection:							
Safety glasses							
Туре	Fi	Field of application Characteristics		Standard			
Safety glasses	Du	ust, Fine d	ust	With side shields		EN 166	

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment			
Device Filter type Condition Standard			
		Protection for Liquid particles, Vapour protection	EN 143

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Powder.	
Colour	: dark blue.	
Odour	: odourless.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour threshold	: No data available
рН	: 7 – 9 @ 20°C. 10 g/l
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 120 °C
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 0.3 – 0.5 g/ml
Solubility	: Water: 50 g/l @80°C
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	:≈1
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: May form an explosive mixture in the presence of air.
Oxidising properties	: No data available
Explosive limits	: Not applicable
9.2. Other information	
No additional information quailable	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inf		
11.1. Information on toxicological	effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
DURAMINE BLUE R 200%		
LD50 oral rat	> 5000 mg/kg	

White mineral oil (petroleum) (8042-	47-5)	
LD50 oral rat	> 5000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h	
Skin corrosion/irritation	: May be slightly irritating to skin and eyes	
	pH: 7 – 9 @ 20°C. 10 g/l	
Serious eye damage/irritation	: Slightly irritant but not relevant for classification	
	pH: 7 – 9 @ 20°C. 10 g/l	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
12/10/2020 (Version: 1.2)	EN (English)	4/6

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
DURAMINE BLUE R 200%	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information	
12.1. Toxicity	
	: Do not allow to enter drains or water courses.
Ecology - water	: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Harmful to aquatic life with long lasting effects.
White mineral oil (petroleum) (8042-47-5)	
NOEC chronic algae	≥ 100 mg/l
LL50, Oncorhynchus mykiss (Rainbow trout)	≥ 100 mg/l (96 Hours, (OECD 203 method))
LL50, daphnia	≥ 100 mg/l (48 Hours, (OECD 202 method))
NOECr, aquatic algae	≥ 100 mg/l (72 Hours, (OECD 201 method))
NOECr, daphnia, Chronic	≥ 1000 mg/l (21 days, (OECD 211 method))
12.2. Persistence and degradability	
White mineral oil (petroleum) (8042-47-5)	
Biodegradation	31 %
12.3. Bioaccumulative potential	
DURAMINE BLUE R 200%	
Partition coefficient n-octanol/water (Log Kow)	≈1
Bioaccumulative potential	Not potentially bioaccumulable.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment No additional information available	
12.6. Other adverse effects	
Metal Content	
Metal	
AOX Value	

SECTION 13: Disposal considerations 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information				
In accordance with ADR / IME	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	14.1. UN number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary informatic	on available			
14.6. Special precautions	s for user			
Overland transport				
Not applicable				
Transport by sea				
Not applicable				
Air transport				
Not applicable				
Inland waterway transport				
Not applicable				
Rail transport				
Not applicable				
	ccording to Annex II of N	larpol and the IBC Code		
Not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information			
Full text of H- and EUH-st	Full text of H- and EUH-statements:		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
H304	May be fatal if swallowed and enters airways.		
H412	Harmful to aquatic life with long lasting effects.		

SDS EU (REACH Annex II) TOWN END

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.